




EDITION 16



THE GARDEN
LIGHTING
COMPANY

Outdoor Lighting Specialists



All about our lights

Your home, your sanctuary now extends outdoors with The Garden Lighting Company and our preferred Moonscape[®] range of outdoor light fittings. Create a magical ambience where you can relax or entertain in the evenings under the stars with this exceptional lighting range.

Choose the mood and feeling you want to create and The Garden Lighting Company's range of exterior luminaires can make it happen. Magical, elegant, informal or minimalistic - The Garden Lighting Company's range of architectural simplicity and a wide range of finishes allows for any kind of creative lighting expression at home or in a commercial setting.

Heavy rainfall, corrosive sea air, extreme temperature ranges - Moonscape[®] has been purpose-designed and manufactured in New Zealand to withstand the harsher elements of New Zealand and Australia climatic conditions. The materials are of a high grade nature. 99.9% Aluminium Marine Grade anodised. 99% Copper, brass - glass filled, flame retardant, UV stabilised plastic components.



The Garden Lighting Company creates a whole new outdoor environment for you to enjoy.


contents

* only includes the Moonscape[®] range of products

Garden lights	02
Includes Spot, Uplights, Eco, Spread, Path and Bollards	
Step & Inground lights	03
Includes Step, Uplights, Skim, Mini step, Lawn and Under Water lights	
Wall lights	08
Includes Surface and Recessed lights	
Accessories	10
Includes Glare Shields, Cans, Filters, LED lamps, Cables, Transformers, Ground Spikes, Flanges	



Spotlight
adjustable with
ground spike




- RANGE**
- Raw Copper
SPLA-GS100-CO
SPLA-GS300-CO
SPLA-GS600-CO
 - Natural Anodised
SPLA-GS100-SN
SPLA-GS300-SN
SPLA-GS600-SN
 - Black Anodised
SPLA-GS100-BK
SPLA-GS300-BK
SPLA-GS600-BK

- SPECIFICATIONS**
- Spun raw Copper
 - Spun raw Aluminium
 - Marine anodised to 25 microns (um)
 - IP Rating - IP65
- LAMPS**
- 12V LED MR16 3 - 10W
- OPTIONS**
- Remote transformer 12 Volt



Uplight Fixed
with ground spike




- RANGE**
- Raw Copper
UL-FXGS-CO
 - Natural Anodised
UL-FXGS-SN
 - Black Anodised
UL-FXGS-BK

- SPECIFICATIONS**
- Spun raw Copper
 - Spun raw Aluminium
 - Marine anodised to 25 microns (um)
 - IP Rating - IP65
- LAMPS**
- 12V LED MR16 3 - 10W
- OPTIONS**
- Remote transformer 12 Volt



Eco
adjustable with
ground spike




- RANGE**
- Black Anodised
ECOSPOT-BK

- SPECIFICATIONS**
- Spun raw Copper
 - Spun raw Aluminium
 - Marine anodised to 25 microns (um)
 - IP Rating - IP65
- LAMPS**
- 12V LED MR16 3 - 10W
- OPTIONS**
- Remote transformer 12 Volt



Spotlight Twin
adjustable with
ground spike




- RANGE**
- Raw Copper
SPLTA-GS600-CO
 - Natural Anodised
SPLTA-GS600-SN
 - Black Anodised
SPLTA-GS600-BK

- SPECIFICATIONS**
- Spun raw Copper
 - Spun raw Aluminium
 - Marine anodised to 25 microns (um)
 - IP Rating - IP65
- LAMPS**
- 12V LED MR16 3 - 10W
- OPTIONS**
- Remote transformer 12 Volt

NOTE: AVAILABLE WITH OR WITHOUT LAMPS



Spread Light
with ground spike




- RANGE**
- Raw Copper
SPRL-CO
 - Natural Anodised
SPRL-SN
 - Black Anodised
SPRL-BK

- SPECIFICATIONS**
- Spun raw Copper
 - Spun raw Aluminium
 - Marine anodised to 25 microns (um)
 - IP Rating - IP64
- LAMPS**
- 12V LED G4 Capsule 1 - 3W
- OPTIONS**
- Remote transformer 12 Volt



Path Light
with ground spike




- RANGE**
- Raw Copper
PATHL-400-CO
PATHL-700-CO
 - Natural Anodised
PATHL-400-SN
PATHL-700-SN
 - Black Anodised
PATHL-400-BK
PATHL-700-BK

- SPECIFICATIONS**
- Spun raw Copper
 - Spun raw Aluminium
 - Marine anodised to 25 microns (um)
 - IP Rating - IP64
- LAMPS**
- 12V LED G4 Capsule 1 - 3W
- OPTIONS**
- Remote transformer 12 Volt



Bollard
round 390 / 750mm




- RANGE**
- Raw Copper
BL-390-CO
BL-750-CO
 - Natural Anodised
BL-390-SN
BL-750-SN
 - Black Anodised
BL-390-BK
BL-750-BK

- SPECIFICATIONS**
- Spun raw Copper
 - Spun raw Aluminium
 - Marine anodised to 25 microns (um)
 - IP Rating - IP64
- LAMPS**
- 12V LED MR16 5W
- OPTIONS**
- Remote transformer 12 Volt
- NOTE ***
- **BLSL-170-CO/SN/BK** is Round Bollard including Top Hat




Bollard
square




- RANGE**
- Square Solid Timber
BLS-SST-650

- SPECIFICATIONS**
- Spun raw Copper
 - IP Rating - IP65
- LAMPS**
- 12V LED MR16 3 - 10W
- OPTIONS**
- Remote transformer 12 Volt

NOTE: AVAILABLE WITH OR WITHOUT LAMPS



Step Light eyelid recessed



RANGE

- Raw Copper **STPL-SB-CO**
- Natural Anodised **STPL-SB-SN**
- Black Anodised **STPL-SB-BK**

SPECIFICATIONS


- Spun raw Copper
- Spun raw Aluminium
- Marine anodised to 25 microns (um)
- IP Rating - IP65

LAMPS


- 12V LED MR16 3 - 10W

OPTIONS

- Remote transformer 12 Volt



Step Light louver recessed



RANGE

- Raw Copper **STPL-LV-CO**
- Natural Anodised **STPL-LV-SN**
- Black Anodised **STPL-LV-BK**

SPECIFICATIONS


- Spun raw Copper
- Spun raw Aluminium
- Marine anodised to 25 microns (um)
- IP Rating - IP65

LAMPS


- 12V LED MR16 3 - 10W

OPTIONS

- Remote transformer 12 Volt



Step Light machined recessed



RANGE

- Copper **STPL-MB-CO**
- Bronze finish **STPL-MB-BR**
- Natural Anodised **STPL-MB-SN**
- Black Anodised **STPL-MB-BK**

SPECIFICATIONS


- Machined Bezel
- Spun raw Copper bodies
- Spun raw Aluminium bodies
- Marine anodised to 25 microns (um)
- IP Rating - IP65

LAMPS


- 12V LED MR16 3 - 10W

OPTIONS

- Remote transformer 12 Volt



Skim Light machined recessed



RANGE

- Copper **SKL-MB-CO**
- Bronze finish **SKL-MB-BR**
- Natural Anodised **SKL-MB-SN**
- Black Anodised **SKL-MB-BK**

SPECIFICATIONS

- Machined Bezel
- Spun raw Copper bodies
- Spun raw Aluminium bodies
- Marine anodised to 25 microns (um)
- IP Rating - IP65

LAMPS

- 12V LED MR16 3 - 10W

OPTIONS

- Remote transformer 12 Volt

NOTE: AVAILABLE WITH OR WITHOUT LAMPS



Mini Step Light recessed



RANGE

- Bronze finish **MSTL-MB-BR**
- Natural Anodised **MSTL-MB-SN**
- Black Anodised **MSTL-MB-BK**

SPECIFICATIONS

- CNC machined Bezel
- Spun raw Copper bodies
- Spun raw Aluminium bodies
- Marine anodised to 25 microns (um)
- IP Rating - IP65

LAMPS

- 12V LED MR11 3W

OPTIONS

- Remote transformer 12 Volt



Mini Up Light Inground



RANGE

- Bronze finish **MIGUL-MB-BR**
- Natural Anodised **MIGUL-MB-SN**
- Black Anodised **MIGUL-MB-BK**

SPECIFICATIONS

- CNC machined Bezel
- Spun raw Copper bodies
- Spun raw Aluminium bodies
- Marine anodised to 25 microns (um)
- IP Rating - IP65

LAMPS

- 12V LED MR11 3W

OPTIONS


- Remote transformer 12 Volt



NOTE: AVAILABLE WITH OR WITHOUT LAMPS



Up Light spun
inground



RANGE
Raw Copper
ULIG-SB-CO



Natural Anodised
ULIG-SB-SN




Black Anodised
ULIG-SB-BK

- SPECIFICATIONS**
- Spun raw Copper bodies
 - Spun raw Aluminium bodies
 - Marine anodised to 25 microns (um)
 - IP Rating - IP65
- LAMPS**
- 12V LED MR16 3 - 10W
- OPTIONS**
- Remote transformer 12 Volt



Up Light machined
inground



RANGE
Bronze finish
ULIG-MB-BR



Raw Copper
ULIG-MB-CO



Natural Anodised
ULIG-MB-SN




Black Anodised
ULIG-MB-BK

- SPECIFICATIONS**
- Machined Bezel
 - Spun raw Copper bodies
 - Spun raw Aluminium bodies
 - Marine anodised to 25 microns (um)
 - IP Rating - IP65
- LAMPS**
- 12V LED MR16 3 - 10W
- OPTIONS**
- Remote transformer 12 Volt



Lawn Light
inground




RANGE
Raw Copper
LLIG-CO

- SPECIFICATIONS**
- Spun raw Copper
 - IP Rating - IP65
- LAMPS**
- 12V LED MR16 5 - 7W
- OPTIONS**
- Remote transformer 12 Volt



Underwater Light
surface mount



RANGE
Raw copper
UWL-SM-CO


- SPECIFICATIONS**
- Spun raw Copper
 - IP Rating - IP67
- LAMPS**
- 12V LED MR16 5 - 7W
- OPTIONS**
- Remote transformer 12 Volt

NOTE: AVAILABLE WITH OR WITHOUT LAMPS





Spot Light
surface mounted fixed




- RANGE**
- Raw Copper
SMSL-FX-CO
 - Natural Anodised
SMSL-FX-SN
 - Black Anodised
SMSL-FX-BK

- SPECIFICATIONS**
- Spun raw Copper
 - Spun raw Aluminium Marine anodised to 25 microns (um)
 - IP Rating - IP65
- LAMPS**
- 12V LED MR16 3 - 10W
- OPTIONS**
- 12V Volt GU10
 - Integral transformer 12 Volt Requires 50mm deep base
 - Remote transformer 12 Volt



Twin Spot Light
surface mounted




- RANGE**
- Raw Copper
SMTSL-A-CO
 - Natural Anodised
SMTSL-A-SN
 - Black Anodised
SMTSL-A-BK

- SPECIFICATIONS**
- Spun raw Copper
 - Spun raw Aluminium Marine anodised to 25 microns (um)
 - IP Rating - IP65
- LAMPS**
- 12V LED MR16 3 - 10W
- OPTIONS**
- Integral transformer 12 Volt Requires 50mm deep base
 - Remote transformer 12 Volt



Spot Light
surface mounted adjustable




- RANGE**
- Raw Copper
SMSL-A-CO
 - Natural Anodised
SMSL-A-SN
 - Black Anodised
SMSL-A-BK

- SPECIFICATIONS**
- Spun raw Copper
 - Spun raw Aluminium Marine anodised to 25 microns (um)
 - IP Rating - IP65
- LAMPS**
- 12V LED MR16 3 - 10W
- OPTIONS**
- 12V Volt GU10
 - Integral transformer 12 Volt Requires 50mm deep base
 - Remote transformer 12 Volt



Double Spot Light
surface mounted adjustable




- RANGE**
- Raw Copper
SMSL-AD-CO
 - Natural Anodised
SMSL-AD-SN
 - Black Anodised
SMSL-AD-BK

- SPECIFICATIONS**
- Spun raw Copper
 - Spun raw Aluminium Marine anodised to 25 microns (um)
 - IP Rating - IP65
- LAMPS**
- 12V LED MR16 3 - 10W
- OPTIONS**
- Integral transformer 12 Volt Requires 50mm deep base
 - Remote transformer 12 Volt



Spot Light
surface endmounted adjustable




- RANGE**
- Raw Copper
SMSL-EM-A-CO
 - Natural Anodised
SMSL-EM-A-SN
 - Black Anodised
SMSL-EM-A-BK

- SPECIFICATIONS**
- Spun raw Copper
 - Spun raw Aluminium Marine anodised to 25 microns (um)
 - IP Rating - IP65
- LAMPS**
- 12V LED MR16 3 - 10W
- OPTIONS**
- Integral transformer 12 Volt Requires 50mm deep base
 - Remote transformer 12 Volt



Spot Light
surface endmounted fixed




- RANGE**
- Raw Copper
SMSL-EM-FX-CO
 - Natural Anodised
SMSL-EM-FX-SN
 - Black Anodised
SMSL-EM-FX-BK

- SPECIFICATIONS**
- Spun raw Copper
 - Spun raw Aluminium Marine anodised to 25 microns (um)
 - IP Rating - IP65
- LAMPS**
- 12V LED MR16 3 - 10W
- OPTIONS**
- Integral transformer 12 Volt Requires 50mm deep base
 - Remote transformer 12 Volt



Up/Down Light
surface mounted




- RANGE**
- Raw Copper
SMUD-CO
 - Natural Anodised
SMUD-SN
 - Black Anodised
SMUD-BK

- SPECIFICATIONS**
- Spun raw Copper
 - Spun raw Aluminium Marine anodised to 25 microns (um)
 - IP Rating - IP65
- LAMPS**
- 12V LED MR16 3 - 10W
- OPTIONS**
- 12V Volt GU10
 - Integral transformer 12 Volt Requires 50mm deep base
 - Remote transformer 12 Volt



Down Light
recessed



- RANGE**
- Bronze finish
DL-RMB-BR
 - Natural Anodised
DL-RMB-SN
 - Black Anodised
DL-RMB-BK

- SPECIFICATIONS**
- CNC machined Bezel
 - Spun raw Copper bodies
 - Spun raw Aluminium bodies Marine anodised to 25 microns (um)
 - IP Rating - IP65
- LAMPS**
- 12V LED MR11 3W
- OPTIONS**
- Remote transformer 12 Volt

Glare shields



Light with/without Glare shields



Louver & Honeycomb filters



Bollard groundspikes Garden light ground spike



Installation cans



Transformers



MR16 LED Lamps



GU10 LED Lamps



12V G4 LED capsules



NOTE: AVAILABLE WITH OR WITHOUT LAMPS



Water Proof LED Strip Lights


LED flexible strip light opens up unlimited possibilities to become creative with outdoor and Garden lighting. Its many effects, colours, and applications produce stunning results in just about any outdoor setting.

Flexible strip lights are available from 100mm through to 5 meter lengths. There are many strengths of light output and colour options, just about any colour of the rainbow is now attainable.

Controller & Swithing Solutions

Security, Convenience, Safety, Flexibility, Reliability, Economy

A programmable lighting and outdoor security system that can automate your lights, water feature, swimming pool or any electrical device



Benefits:

- Convenience - lights on when you arrive home
- Welcomes visitors
- Provides security and deters intruders
- Automatic and manual fixed or remotely controlled
- Detects people and vehicles
- Invisible beam switches lights and electrical device
- Saves power lights on only when needed

Wireless and Daylight Switching Solutions

- Wireless wall and remote switches
- Daylight switches

As technology continues to advance, our range of electrical and electronic solutions increases, ss well as our own SentiMaster range of controllers. There are many timers, light activated switches, remote and wireless switching options that can be extremely useful and economical.





Why use The Garden Lighting Company?

Like painting on a black canvas, lighting a landscape is an art. Each beam of light can bring life and magic to your garden at night. Exterior lighting can enhance your landscape with a subtle beauty, illuminate focal points, add drama and extend your living space. As well as providing pleasure, creative lighting increases the value of your property.

We at The Garden Lighting Company can help you with every aspect of your lighting project: lighting design, selection of fittings, and complete installation of your lighting project. That's why you need the experts. It is important to consult with a lighting designer or landscape architect when planning your outdoor lighting project.

For professional advice on any lighting projects call the experts: The Garden Lighting Company
Ph 09 948 9089 or www.gardenlights.co.nz

They will help you with the complex aspects of exterior lighting including:

- Creating the atmosphere you want
- Best use and definition of space
- The safety of people and security of your home
- Spill light and minimise glare
- Placement of control equipment and switching
- Installation, operation and maintenance costs
- Installation, operation and maintenance costs
- Energy efficiency



* only includes the Moonscape® range of products

Moonscape[®] is our preferred and recommended brand. Moonscape[®] luminaires are manufactured in New Zealand producing high-quality lights made to the highest quality and standard utilising the latest technologies, CNC machining, injection moulding, hand spinning and hand assembly.

